



cp gratex
CUTTING EDGE

NEW SMART DEBURRING TOOLS

HEX-HOLD™ Tools

One Handle



Countless Jobs...



Contact us:-
+91 9326505626
advait@deburringtools.com

Hex Hold™ Tool Features

Upgrade your workflow with the Hex Hold™ System—a rugged, quick-change handle designed for professionals who demand speed, precision, and versatility.


Distinctive Twisted Metal Handle –

Ergonomic, stylish, and built for all-day comfort with a ball-end cap.

- ✓ **Push-to-Lock, Pull-to-Release** – Securely holds any 1/4" hex bit tool in seconds. No wobble. No slip. Just rock-solid performance.
- ✓ **Universal Tool Compatibility** – Use one handle for multiple jobs.
- ✓ **Crank holder** for continuous rotation of countersinks, OD deburrers, and screwdriver bits.
- ✓ **Straight-mounted tools** for swivel deburring blades, single/double-edge deburring, keyway deburring, scrapers, and more.

Holder Locking & Release Mechanism

(Push the holder to lock)



(Pull the sleeve out to release)

Handle

Hex Hold Handle (51704)



- ✓ Distinctive Twisted Metal Handle with an Auto Lock Holding Mechanism –
 - ✓ Holds all 1/4" Hex Bit Tools.
 - ✓ Ergonomic, stylish, and built for all-day comfort with a ball-end cap.
- Packing Wt:- 69.00 gms

For Edge Deburring

DT(C) Hex Holder (63010)



- ✓ 1/4" Hex Holder which holds all Ø3.2 mm swivel blades.
- Mounted blade is C-10 HSS (62-64 HRC)
Deburring Blade - Heavy Duty application.
Packing Wt:- 11.70 gms

DT(C) Hex Hold (32014)



- ✓ DT (C) Hex Holder (63010) with the Hex Hold Handle (51704)
- Packing Wt:- 81.00 gms

DT(P) Hex Holder (63020)



- ✓ 1/4" Hex Holder which holds all Ø2.6 mm swivel blades.
- Mounted blade is P-1 HSS (62-64 HRC)
Deburring Blade - Light Duty application.
Packing Wt:- 9.20 gms

DT(P) Hex Hold (32114)



- ✓ DT(P) Hex Holder (63020) with the Hex Hold Handle (51704)
- Packing Wt:- 78.50 gms

For Chamfering

F165 (48165) & F63 (48630) Single Flute Countersinks

- ✓ For chatter-free Hole Chamfering on small and micro sized holes from 2 to 16 mm (48165) & 1 to 6mm (48630) in CW direction.
 - ✓ Can also be used on Electric Drivers/Lathe/ Drill/VMC machines.
- Packing Wt:- (F165:-14.00 gms, F63:- 5.00 gsm)



OD 52690 (52690)

- ✓ 1/4" HSS Hardened Single Flute Outside Diameter (OD) Deburring/Chamfering Tool. which covers a range from Ø 5 to 26mm on Outside Diameter (OD) of Shafts/Pipes.
 - ✓ It's a 90 degree Tool.
- Packing Wt:- 25.00 gms



Crank Hex Holder - Short (62190) & Long (62390)

- ✓ 62190 is a 1/4" Hex Crank Short Holder for Hex Bit Countersinks F165 (48165) & F63 (48630). 62390 is a 1/4" Hex Crank Long Holder for OD 52690 (52690) and CS-20 Single Flute Countersink (48201)
- Packing Wt. (62190:- 11.00 gms, 62390:- 13.20 gms)



Crank Short Hex Hold (48310)

- ✓ F165 (48165) & F63 (48630) Countersinks with Crank Hex Holder-Short (62190) and Hex Hold Handle (51704).
- Packing Wt:- 99 gms



For Chamfering

Crank Long Hex Hold (48410)



- ✓ OD 52690 (52690) with Crank Hex Holder - Long (62390) and Hex Hold Handle (51704). Packing Wt:-107.00 gms

CS-20 Single Flute Countersink (48201)



- ✓ HSS Single Flute Countersink CS-20 for hole chamfering from $\varnothing 4\text{mm}$ to $\varnothing 19\text{mm}$. Packing Wt:- 21.60 gms

CS-Short (62050) & CS-Long (62060)



62050



62060

- ✓ 62050 is a 1/4" Hex Short Holder and 62060 is a 1/4" Hex Long Holder which holds CS-20 Single Flute Countersink (48201). Packing Wt. (62050:- 15.00 gms, 62060:- 27.20gms)

CS-Short Hex Hold Countersink (48510)



- ✓ 1/4" Hex Long Holder for CS-20 Single Flute Countersink (48201). Packing Wt:- 27.2 gms

CS-Long Hex Hold Countersink (48610)



- ✓ CS-20 Single Flute Countersink (48201) with CS-Long (62060) and Hex Hold Handle (51704). Packing Wt:- 118.50 gms

For Deflashing/Scraping

SCR-3 Hex Scraper (72850)



- ✓ 1/4" Hex Triangular 3mm A/F HSS Scraper for light-duty scraping on corners, edges and faces.
Packing Wt:- 4.50 gms

SCR-3 Hex Hold (72134)



- ✓ SCR-3 Hex Scraper (72850) with the Hex Hold Handle (51704).
Packing Wt:- 73.5 gms

SCR-6 Hex Scraper (75064)



- ✓ 1/4" Hex Triangular 6mm A/F HSS Scraper for heavy-duty scraping on corners, edges and faces.
Packing Wt:-7.80 gms

SCR-6 Hex Hold (75164)



- ✓ SCR-6 Hex Scraper (75064) with the Hex Hold Handle (51704).
Packing Wt:-77.20 gms

For Sheet Deburring

VT Hex Holder (62140)



- ✓ 1/4" Hex Holder with V-4 Sheet Deburring Blade.
 - ✓ 2 Nos. 'V' Shaped edges cover width upto 12mm & 2 Nos. cover width upto 4mm.
- Packing Wt:- 20.60 gms

VDT Hex Hold (34194)



- ✓ VT Hex Holder (62140) with the Hex Hold Handle (51704)
- Packing Wt:- 90.2 gms

V-1 Hex Holder (62150)



- ✓ 1/4" Hex Holder with a 'Radius' Shaped edge for Sheet Deburring upto 4mm width.
- Packing Wt:- 20.60 gms

V-1 Hex Hold (34294)



- ✓ V-1 Hex Holder (62150) with the Hex Hold Handle (51704)
- Packing Wt:- 80.00 gms

For Slot Deburring

KW Hex Holder (62130)



- ✓ 1/4" Hex Holder with Keyway Deburring Blade for Deburring Slots (Normal & Shallow) upto 16mm width
- Packing Wt:- 21 gms

KWS Hex Hold (34174)



- ✓ KW Hex Holder (62130) with the Hex Hold Handle (51704)
- Packing Wt:- 90.20 gms

HEX HOLD KIT (88181)

Multi-purpose Deburring Tool Kit with
**1/4" Hex Tools in a
Single, Rugged, Quick Change Hex Hold Handle!**

This Kit consists of:-

- ✓ Hex Hold Handle (51704)
- ✓ Sheet Deburring Tools (62140 & 62150)
- ✓ Slot Deburring Tool (62130)
- ✓ For Edge Deburring (63010 & 63020 with 10 spare blades each)
- ✓ For Chamfering (48165, 48630, 52690 & 48201)
- ✓ For Deflashing/Scraping (72850 & 75064)

